

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" href="../../../../favicon.ico">

    <title>Album example for Bootstrap</title>

    <!-- Bootstrap core CSS -->
    <link href="../../../../dist/css/bootstrap.min.css" rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="album.css" rel="stylesheet">
  </head>

  <body>

    <header>
      <div class="collapse bg-dark" id="navbarHeader">
        <div class="container">
          <div class="row">
            <div class="col-sm-8 py-4">
              <h4 class="text-white">About</h4>
              <p class="text-muted">Add some information about the album below, the author,
                or any other background context. Make it a few sentences long so folks can
                pick up some informative tidbits. Then, link them off to some social
                networking sites or contact information.</p>
            </div>
            <div class="col-sm-4 py-4">
              <h4 class="text-white">Contact</h4>
              <ul class="list-unstyled">
                <li><a href="#" class="text-white">Follow on Twitter</a></li>
                <li><a href="#" class="text-white">Like on Facebook</a></li>
                <li><a href="#" class="text-white">Email me</a></li>
              </ul>
            </div>
          </div>
        </div>
      </div>
      <div class="navbar navbar-dark bg-dark">
        <div class="container d-flex justify-content-between">
          <a href="#" class="navbar-brand">Album</a>
          <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
            "#navbarHeader" aria-controls="navbarHeader" aria-expanded="false" aria-label=
            "Toggle navigation">
            <span class="navbar-toggler-icon"></span>
          </button>
        </div>
      </div>
    </header>

    <main role="main">

      <section class="jumbotron text-center">
```

```
<div class="container">
  <h1 class="jumbotron-heading">Album example</h1>
  <p class="lead text-muted">Something short and leading about the collection
  below-its contents, the creator, etc. Make it short and sweet, but not too short
  so folks don't simply skip over it entirely.</p>
  <p>
    <a href="#" class="btn btn-primary">Main call to action</a>
    <a href="#" class="btn btn-secondary">Secondary action</a>
  </p>
</div>
</section>

<div class="album text-muted">
  <div class="container">

    <div class="row">
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>

      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
      <div class="card">
        
        <p class="card-text">This is a wider card with supporting text below as a
        natural lead-in to additional content. This content is a little bit longer.</p>
      </div>
    </div>
  </div>
</div>
```

```
</div>
<div class="card">
  
  <p class="card-text">This is a wider card with supporting text below as a
    natural lead-in to additional content. This content is a little bit longer.</p>
</div>
</div>

</div>
</div>

</main>

<footer class="text-muted">
  <div class="container">
    <p class="float-right">
      <a href="#">Back to top</a>
    </p>
    <p>Album example is &copy; Bootstrap, but please download and customize it for
    yourself!</p>
    <p>New to Bootstrap? <a href="..">Visit the homepage</a> or read our <a href=
    "../getting-started/">getting started guide</a>.</p>
  </div>
</footer>

<!-- Bootstrap core JavaScript
===== -->
<!-- Placed at the end of the document so the pages load faster -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity=
"sha384-KJ3o2DKtIkvYIK3UENzmM7KChRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin=
"anonymous"></script>
<script>window.jQuery || document.write('<script
src="../../../../assets/js/vendor/jquery.min.js"></script>')</script>
<script src="../../../../assets/js/vendor/popper.min.js"></script>
<script src="../../../../dist/js/bootstrap.min.js"></script>
<script src="../../../../assets/js/vendor/holder.min.js"></script>
<script>
  Holder.addTheme('thumb', {
    bg: '#55595c',
    fg: '#eceeef',
    text: 'Thumbnail'
  });
</script>
</body>
</html>
```