

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" href="../../../../favicon.ico">

    <title>Bottom navbar example for Bootstrap</title>

    <!-- Bootstrap core CSS -->
    <link href="../../../../dist/css/bootstrap.min.css" rel="stylesheet">
  </head>

  <body>
    <div class="container">
      <div class="jumbotron mt-3">
        <h1>Bottom Navbar example</h1>
        <p class="lead">This example is a quick exercise to illustrate how the bottom navbar works.</p>
        <a class="btn btn-lg btn-primary" href="../../components/navbar/" role="button">View navbar docs &raquo;</a>
      </div>
    </div>
    <nav class="navbar fixed-bottom navbar-expand navbar-dark bg-dark">
      <a class="navbar-brand" href="#">Bottom navbar</a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarCollapse">
        <ul class="navbar-nav mr-auto">
          <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
          <li class="nav-item">
            <a class="nav-link disabled" href="#">Disabled</a>
          </li>
          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="https://getbootstrap.com" id="dropdown10" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
              Dropdown</a>
            <div class="dropdown-menu" aria-labelledby="dropdown10">
              <a class="dropdown-item" href="#">Action</a>
              <a class="dropdown-item" href="#">Another action</a>
              <a class="dropdown-item" href="#">Something else here</a>
            </div>
          </li>
        </ul>
      </div>
    </nav>
```

```
<!-- Bootstrap core JavaScript
===== -->
<!-- Placed at the end of the document so the pages load faster -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity=
"sha384-KJ3o2DKtIkvYIK3UENzmM7KChRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin=
"anonymous"></script>
<script>window.jQuery || document.write('<script
src="../../../../assets/js/vendor/jquery.min.js"></script>')</script>
<script src="../../../../assets/js/vendor/popper.min.js"></script>
<script src="../../../../dist/js/bootstrap.min.js"></script>
</body>
</html>
```