

```
<?php
if (Login::isLoggedIn(Login::$_login_front)) {
    Helper::redirect(Login::$_dashboard_front);
}

$objForm = new Form();
$objValid = new Validation($objForm);
$objUser = new User();

// login form
if ($objForm->isPost('login_email')) {
    if (
        $objUser->isUser(
            $objForm->getPost('login_email'),
            $objForm->getPost('login_password')
        )
    ) {
        Login::loginFront($objUser->_id, Url::getReferrerUrl());
    } else {
        $objValid->add2Errors('login');
    }
}

// registration form
if ($objForm->isPost('first_name')) {

    $objValid->_expected = array(
        'first_name',
        'last_name',
        'address_1',
        'address_2',
        'town',
        'county',
        'post_code',
        'country',
        'email',
        'password',
        'confirm_password'
    );

    $objValid->_required = array(
        'first_name',
        'last_name',
        'address_1',
        'town',
        'county',
        'post_code',
        'country',
        'email',
        'password',
        'confirm_password'
    );
};
```

```
$objValid->_special = array(
    'email' => 'email'
);

$objValid->_post_remove = array(
    'confirm_password'
);

$objValid->_post_format = array(
    'password' => 'password'
);

// validate password
$pass_1 = $objForm->getPost('password');
$pass_2 = $objForm->getPost('confirm_password');

if (!empty($pass_1) && !empty($pass_2) && $pass_1 != $pass_2) {
    $objValid->add2Errors('password_mismatch');
}

$email = $objForm->getPost('email');
$user = $objUser->getByEmail($email);

if (!empty($user)) {
    $objValid->add2Errors('email_duplicate');
}

if ($objValid->isValid()) {

    // add hash for activating account
    $objValid->_post['hash'] = mt_rand().date('YmdHis').mt_rand();
    // add registration date
    $objValid->_post['date'] = Helper::setDate();

    if ($objUser->addUser($objValid->_post, $objForm->getPost('password'))) {
        Helper::redirect('/?page=registered');
    } else {
        Helper::redirect('/?page=registered-failed');
    }
}
}
```

```
require_once('_header.php');
```

```
?>
```

```
<h1>Login</h1>
```

```
<form action="" method="post">

    <table cellpadding="0" cellspacing="0" border="0" class="tbl_insert">

        <tr>
            <th>
                <label for="login_email">Login:</label>
            </th>
            <td>
                <?php echo $objValid->validate('login'); ?>
                <input type="text" name="login_email"
                    id="login_email" class="fld" value="" />
            </td>
        </tr>

        <tr>
            <th>
                <label for="login_password">Password:</label>
            </th>
            <td>
                <input type="password" name="login_password"
                    id="login_password" class="fld" value="" />
            </td>
        </tr>

        <tr>
            <th>&#160;</th>
            <td>
                <label for="btn_login" class="sbm sbm_blue fl_l">
                    <input type="submit" id="btn_login"
                        class="btn" value="Login" />
                </label>
            </td>
        </tr>

    </table>

</form>

<div class="dev br_td">&#160;</div>
<h3>Not registered yet?</h3>

<form action="" method="post">

    <table cellpadding="0" cellspacing="0" border="0"
        class="tbl_insert">

        <tr>
            <th>
                <label for="first_name">First name: *</label>
            </th>
            <td>
                <?php echo $objValid->validate('first_name'); ?>
                <input type="text" name="first_name" id="first_name" class="fld"
                    value="<?php echo $objForm->stickyText('first_name'); ?>" />
            </td>
        </tr>

    </table>

</form>
```

```
<tr>
  <th>
    <label for="last_name">Last name: *</label>
  </th>
  <td>
    <?php echo $objValid->validate('last_name'); ?>
    <input type="text" name="last_name" id="last_name" class="fld"
      value="<?php echo $objForm->stickyText('last_name'); ?>" />
  </td>
</tr>

<tr>
  <th>
    <label for="address_1">Address 1: *</label>
  </th>
  <td>
    <?php echo $objValid->validate('address_1'); ?>
    <input type="text" name="address_1" id="address_1" class="fld"
      value="<?php echo $objForm->stickyText('address_1'); ?>" />
  </td>
</tr>

<tr>
  <th>
    <label for="address_2">Address 2:</label>
  </th>
  <td>
    <?php echo $objValid->validate('address_2'); ?>
    <input type="text" name="address_2" id="address_2" class="fld"
      value="<?php echo $objForm->stickyText('address_2'); ?>" />
  </td>
</tr>

<tr>
  <th>
    <label for="town">Town: *</label>
  </th>
  <td>
    <?php echo $objValid->validate('town'); ?>
    <input type="text" name="town" id="town" class="fld"
      value="<?php echo $objForm->stickyText('town'); ?>" />
  </td>
</tr>

<tr>
  <th>
    <label for="county">County: *</label>
  </th>
  <td>
    <?php echo $objValid->validate('county'); ?>
    <input type="text" name="county" id="county" class="fld"
      value="<?php echo $objForm->stickyText('county'); ?>" />
  </td>
</tr>

<tr>
```

```

<th>
    <label for="post_code">Post code: *</label>
</th>
<td>
    <?php echo $objValid->validate('post_code'); ?>
    <input type="text" name="post_code" id="post_code" class="fld"
        value="<?php echo $objForm->stickyText('post_code'); ?>" />
</td>
</tr>

<tr>
<th>
    <label for="country">Country: *</label>
</th>
<td>
    <?php echo $objValid->validate('country'); ?>
    <?php echo $objForm->getCountriesSelect(229); ?>
</td>
</tr>

<tr>
<th>
    <label for="email">Email address: *</label>
</th>
<td>
    <?php echo $objValid->validate('email'); ?>
    <?php echo $objValid->validate('email_duplicate'); ?>
    <input type="text" name="email" id="email" class="fld"
        value="<?php echo $objForm->stickyText('email'); ?>" />
</td>
</tr>

<tr>
<th>
    <label for="password">Password: *</label>
</th>
<td>
    <?php echo $objValid->validate('password'); ?>
    <?php echo $objValid->validate('password_mismatch'); ?>
    <input type="password" name="password" id="password" class="fld"
        value="" />
</td>
</tr>

<tr>
<th>
    <label for="confirm_password">Confirm password: *</label>
</th>
<td>
    <?php echo $objValid->validate('confirm_password'); ?>
    <input type="password" name="confirm_password"
        id="confirm_password" class="fld" value="" />
</td>
</tr>

<tr>
<th>&#160;</th>

```

```
<td>
  <label for="btn" class="sbm sbm_blue fl_1">
    <input type="submit" id="btn"
      class="btn" value="Register" />
  </label>
</td>
</tr>

</table>

</form>
```

```
<?php require_once( '_footer.php' ); ?>
```