

```

<?php
Login::restrictFront();

$objOrder = new Order();
$orders = $objOrder->getClientOrders(Session::getSession(Login::$_login_front));

$objPaging = new Paging($orders, 5);
$rows = $objPaging->getRecords();

require_once('_header.php');
?>

<h1>My orders</h1>

<?php if (!empty($rows)) { ?>

    <table cellspacing="0" cellpadding="0" border="0" class="tbl_repeat">

        <tr>
            <th>Id</th>
            <th class="ta_r">Date</th>
            <th class="ta_r col_15">Status</th>
            <th class="ta_r col_15">Total</th>
            <th class="ta_r col_15">Invoice</th>
        </tr>

        <?php foreach($rows as $row) { ?>

            <tr>
                <td><?php echo $row['id']; ?></td>
                <td class="ta_r"><?php echo Helper::setDate(1, $row['date']); ?></td>
                <td class="ta_r">
                    <?php
                        $status = $objOrder->getStatus($row['status']);
                        echo $status['name'];
                    ?>
                </td>
                <td class="ta_r">
                    &pound;<?php echo number_format($row['total'], 2); ?>
                </td>
                <td class="ta_r">
                    <?php
                        if ($row['pp_status'] == 1) {
                            echo '<a href="/?page=invoice&id=';
                            echo $row['id'];
                            echo '" target="_blank">Invoice</a>';
                        } else {
                            echo '<span class="inactive">Invoice</span>';
                        }
                    ?>
                </td>
            </tr>

        <?php } ?>

    </table>

```

```
<?php echo $objPaging->getPaging(); ?>
```

```
<?php } else { ?>  
<p>Currently you do not have any orders.</p>  
<?php } ?>
```

```
<?php require_once( '_footer.php' ); ?>
```