

```

<?php
Login::restrictFront();

$token1 = mt_rand();
$token2 = Login::string2hash($token1);
Session::setSession('token2', $token2);

$objBasket = new Basket();

$out = array();

$session = Session::getSession('basket');

if (!empty($session)) {
    $objCatalogue = new Catalogue();
    foreach($session as $key => $value) {
        $out[$key] = $objCatalogue->getProduct($key);
    }
}

require_once("_header.php");
?>

<h1>Order summary</h1>

<?php if (!empty($out)) { ?>

<div id="big_basket">

    <form action="" method="post" id="frm_basket">

        <table cellpadding="0" cellspacing="0" border="0" class="tbl_repeat">

            <tr>
                <th>Item</th>
                <th class="ta_r">Qty</th>
                <th class="ta_r col_15">Price</th>
            </tr>

            <?php foreach($out as $item) { ?>

                <tr>
                    <td><?php echo $item['name']; ?></td>
                    <td class="ta_r"><?php echo $session[$item['id']]['qty']; ?></td>
                    <td class="ta_r">&pound;<?php echo number_format($objBasket->itemTotal($item[
                    'price'], $session[$item['id']]['qty']), 2); ?></td>
                </tr>
            <?php } ?>

            <?php if ($objBasket->_vat_rate > 0) { ?>

                <tr>
                    <td colspan="2" class="br_td">
                        Sub-total:
                    </td>
                    <td class="ta_r br_td">
                        &pound;<?php echo number_format($objBasket->_sub_total, 2); ?>
                </tr>
            </tr>
        </table>
    </form>
</div>

```

```

        </td>
    </tr>

    <tr>
        <td colspan="2" class="br_td">
            VAT (<?php echo $objBasket->_vat_rate; ?>%)
        </td>
        <td class="ta_r br_td">
            &pound;<?php echo number_format($objBasket->_vat, 2); ?>
        </td>
    </tr>

```

```
<?php } ?>
```

```

<tr>
    <td colspan="2" class="br_td">
        <strong>Total:</strong>
    </td>
    <td class="ta_r br_td">
        <strong>&pound;<?php echo number_format($objBasket->_total, 2); ?>
        </strong>
    </td>
</tr>

```

```
</table>
```

```
<div class="dev br_td">&#160;</div>
```

```

<div class="sbm sbm_blue fl_r paypal"
    id="<?php echo $token1; ?>"
    <span class="btn">Proceed to PayPal</span>
</div>

```

```

<div class="sbm sbm_blue fl_l">
    <a href="/?page=basket" class="btn">Amend order</a>
</div>

```

```
</form>
```

```
<div class="dev">&#160;</div>
```

```
</div>
```

```

<div class="dn">
    
</div>

```

```
<?php } else { ?>
```

```
<p>Your basket is currently empty.</p>
```

```
<?php } ?>
```

```

<?php
require_once( "_footer.php" );

```

