

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" href="../../../../favicon.ico">

    <title>Navbar Template for Bootstrap</title>

    <!-- Bootstrap core CSS -->
    <link href="../../../../dist/css/bootstrap.min.css" rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="navbar.css" rel="stylesheet">
  </head>

  <body>

    <nav class="navbar navbar-dark bg-dark">
      <a class="navbar-brand" href="#">Never expand</a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
        "#navbarsExample01" aria-controls="navbarsExample01" aria-expanded="false" aria-label=
        "Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarsExample01">
        <ul class="navbar-nav mr-auto">
          <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
          <li class="nav-item">
            <a class="nav-link disabled" href="#">Disabled</a>
          </li>
          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown01"
              data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
            <div class="dropdown-menu" aria-labelledby="dropdown01">
              <a class="dropdown-item" href="#">Action</a>
              <a class="dropdown-item" href="#">Another action</a>
              <a class="dropdown-item" href="#">Something else here</a>
            </div>
          </li>
        </ul>
        <form class="form-inline my-2 my-md-0">
          <input class="form-control" type="text" placeholder="Search" aria-label="Search">
        </form>
      </div>
    </nav>

    <nav class="navbar navbar-expand navbar-dark bg-dark">
      <a class="navbar-brand" href="#">Always expand</a>
```

```

<button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample02" aria-controls="navbarsExample02" aria-expanded="false" aria-label=
"Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarsExample02">
  <ul class="navbar-nav mr-auto">
    <li class="nav-item active">
      <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Link</a>
    </li>
  </ul>
  <form class="form-inline my-2 my-md-0">
    <input class="form-control" type="text" placeholder="Search">
  </form>
</div>
</nav>

<nav class="navbar navbar-expand-sm navbar-dark bg-dark">
  <a class="navbar-brand" href="#">Expand at sm</a>
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample03" aria-controls="navbarsExample03" aria-expanded="false" aria-label=
"Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>

  <div class="collapse navbar-collapse" id="navbarsExample03">
    <ul class="navbar-nav mr-auto">
      <li class="nav-item active">
        <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled" href="#">Disabled</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown03"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
        <div class="dropdown-menu" aria-labelledby="dropdown03">
          <a class="dropdown-item" href="#">Action</a>
          <a class="dropdown-item" href="#">Another action</a>
          <a class="dropdown-item" href="#">Something else here</a>
        </div>
      </li>
    </ul>
    <form class="form-inline my-2 my-md-0">
      <input class="form-control" type="text" placeholder="Search">
    </form>
  </div>
</nav>

<nav class="navbar navbar-expand-md navbar-dark bg-dark">

```

```
<a class="navbar-brand" href="#">Expand at md</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample04" aria-controls="navbarsExample04" aria-expanded="false" aria-label=
"Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarsExample04">
  <ul class="navbar-nav mr-auto">
    <li class="nav-item active">
      <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Link</a>
    </li>
    <li class="nav-item">
      <a class="nav-link disabled" href="#">Disabled</a>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown04"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
      <div class="dropdown-menu" aria-labelledby="dropdown04">
        <a class="dropdown-item" href="#">Action</a>
        <a class="dropdown-item" href="#">Another action</a>
        <a class="dropdown-item" href="#">Something else here</a>
      </div>
    </li>
  </ul>
  <form class="form-inline my-2 my-md-0">
    <input class="form-control" type="text" placeholder="Search">
  </form>
</div>
</nav>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
  <a class="navbar-brand" href="#">Expand at lg</a>
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample05" aria-controls="navbarsExample05" aria-expanded="false" aria-label=
"Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>

  <div class="collapse navbar-collapse" id="navbarsExample05">
    <ul class="navbar-nav mr-auto">
      <li class="nav-item active">
        <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled" href="#">Disabled</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown05"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
        <div class="dropdown-menu" aria-labelledby="dropdown05">
```

```

        <a class="dropdown-item" href="#">Action</a>
        <a class="dropdown-item" href="#">Another action</a>
        <a class="dropdown-item" href="#">Something else here</a>
    </div>
</li>
</ul>
<form class="form-inline my-2 my-md-0">
    <input class="form-control" type="text" placeholder="Search">
</form>
</div>
</nav>

<nav class="navbar navbar-expand-xl navbar-dark bg-dark">
    <a class="navbar-brand" href="#">Expand at xl</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample06" aria-controls="navbarsExample06" aria-expanded="false" aria-label=
"Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarsExample06">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
            <a class="nav-link disabled" href="#">Disabled</a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown06"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
            <div class="dropdown-menu" aria-labelledby="dropdown06">
                <a class="dropdown-item" href="#">Action</a>
                <a class="dropdown-item" href="#">Another action</a>
                <a class="dropdown-item" href="#">Something else here</a>
            </div>
        </li>
    </ul>
    <form class="form-inline my-2 my-md-0">
        <input class="form-control" type="text" placeholder="Search">
    </form>
</div>
</nav>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
        <a class="navbar-brand" href="#">Container</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample07" aria-controls="navbarsExample07" aria-expanded="false" aria-label=
"Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse" id="navbarsExample07">

```

```
<ul class="navbar-nav mr-auto">
  <li class="nav-item active">
    <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link disabled" href="#">Disabled</a>
  </li>
  <li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown07"
    data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
    <div class="dropdown-menu" aria-labelledby="dropdown07">
      <a class="dropdown-item" href="#">Action</a>
      <a class="dropdown-item" href="#">Another action</a>
      <a class="dropdown-item" href="#">Something else here</a>
    </div>
  </li>
</ul>
<form class="form-inline my-2 my-md-0">
  <input class="form-control" type="text" placeholder="Search" aria-label="Search">
</form>
</div>
</div>
</nav>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
  "#navbarsExample08" aria-controls="navbarsExample08" aria-expanded="false" aria-label=
  "Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>

  <div class="collapse navbar-collapse justify-content-md-center" id="navbarsExample08">
    <ul class="navbar-nav">
      <li class="nav-item active">
        <a class="nav-link" href="#">Centered nav only <span class="sr-only">(current)
        </span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled" href="#">Disabled</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown08"
        data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
        <div class="dropdown-menu" aria-labelledby="dropdown08">
          <a class="dropdown-item" href="#">Action</a>
          <a class="dropdown-item" href="#">Another action</a>
          <a class="dropdown-item" href="#">Something else here</a>
        </div>
      </li>
    </ul>
  </div>
</div>
```

```
</nav>
```

```
<div class="container">
  <nav class="navbar navbar-expand-lg navbar-light bg-light rounded">
    <a class="navbar-brand" href="#">Navbar</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample09" aria-controls="navbarsExample09" aria-expanded="false" aria-label
="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarsExample09">
      <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
          <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link disabled" href="#">Disabled</a>
        </li>
        <li class="nav-item dropdown">
          <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown09"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
          <div class="dropdown-menu" aria-labelledby="dropdown09">
            <a class="dropdown-item" href="#">Action</a>
            <a class="dropdown-item" href="#">Another action</a>
            <a class="dropdown-item" href="#">Something else here</a>
          </div>
        </li>
      </ul>
      <form class="form-inline my-2 my-md-0">
        <input class="form-control" type="text" placeholder="Search" aria-label="Search">
      </form>
    </div>
  </nav>
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-light rounded">
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
"#navbarsExample10" aria-controls="navbarsExample10" aria-expanded="false" aria-label
="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>

  <div class="collapse navbar-collapse justify-content-md-center" id="navbarsExample10">
    <ul class="navbar-nav">
      <li class="nav-item active">
        <a class="nav-link" href="#">Centered nav only <span class="sr-only">(current)
</span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled" href="#">Disabled</a>
      </li>
    </ul>
  </div>
```

```
<li class="nav-item dropdown">
  <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown10"
  data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
  <div class="dropdown-menu" aria-labelledby="dropdown10">
    <a class="dropdown-item" href="#">Action</a>
    <a class="dropdown-item" href="#">Another action</a>
    <a class="dropdown-item" href="#">Something else here</a>
  </div>
</li>
</ul>
</div>
</nav>

<main role="main">
  <div class="jumbotron">
    <div class="col-sm-8 mx-auto">
      <h1>Navbar examples</h1>
      <p>This example is a quick exercise to illustrate how the navbar and its
      contents work. Some navbars extend the width of the viewport, others are
      confined within a .container. For positioning of navbars, checkout
      the <a href="../navbar-top/">top</a> and <a href="../navbar-top-fixed/">fixed top
      </a> examples.</p>
      <p>At the smallest breakpoint, the collapse plugin is used to hide the links and
      show a menu button to toggle the collapsed content.</p>
      <p>
        <a class="btn btn-primary" href="../../components/navbar/" role="button">View
        navbar docs &raquo;</a>
      </p>
    </div>
  </div>
</main>
</div>

<!-- Bootstrap core JavaScript
===== -->
<!-- Placed at the end of the document so the pages load faster -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity=
"sha384-KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin=
"anonymous"></script>
<script>window.jQuery || document.write('<script
src="../../../../assets/js/vendor/jquery.min.js"></script>')</script>
<script src="../../../../assets/js/vendor/popper.min.js"></script>
<script src="../../../../dist/js/bootstrap.min.js"></script>
</body>
</html>
```