

```

<?php
$id = Url::getParam('id');

if (!empty($id)) {

    $objOrder = new Order();
    $order = $objOrder->getOrder($id);

    if (!empty($order)) {

        $objForm = new Form();
        $objValid = new Validation($objForm);

        $objUser = new User();
        $user = $objUser->getUser($order['client']);

        $objCountry = new Country();

        $objCatalogue = new Catalogue();

        $items = $objOrder->getOrderItems($id);

        $status = $objOrder->getStatuses();

        if ($objForm->isPost('status')) {

            $objValid->_expected = array('status', 'notes');
            $objValid->_required = array('status');

            $vars = $objForm->getPostArray($objValid->_expected);

            if ($objValid->isValid()) {

                if ($objOrder->updateOrder($id, $vars)) {
                    Helper::redirect('/admin'.Url::getCurrentUrl(array('action', 'id')).
                        '&action=edited');
                } else {
                    Helper::redirect('/admin'.Url::getCurrentUrl(array('action', 'id')).
                        '&action=edited-failed');
                }
            }
        }

        require_once('template/_header.php');
    }
}
?>

```

```
<h1>Orders :: View</h1>
```

```
<form action="" method="post">
```

```
<table cellpadding="0" cellspacing="0" border="0" class="tbl_insert">
```

```
<tr>
```

```

        <th>Date:</th>
        <td colspan="4"><?php echo Helper::setDate(2, $order['date']); ?></td>
</tr>

<tr>
    <th>Order no:</th>
    <td colspan="4"><?php echo $order['id']; ?></td></td>
</tr>

<?php if (!empty($items)) { ?>

    <tr>
        <th rowspan="2"><?php echo count($items) + 1; ?></th>
        <td colspan="3"><?php echo 'Items:'></td>
        <td colspan="1"><?php echo 'Id'></td>
        <td colspan="1"><?php echo 'Item'></td>
        <td colspan="1"><?php echo 'Qty'></td>
        <td colspan="1"><?php echo 'Amount'></td>
    </tr>

    <tr>
        <td colspan="4"><?php
            foreach($items as $item) {
                $product = $objCatalogue->getProduct($item['product']);
            ?>

            <tr>
                <td colspan="1"><?php echo $product['id']; ?></td>
                <td colspan="1"><?php echo Helper::encodeHtml($product['name']); ?></td>
                <td colspan="1"><?php echo $item['qty']; ?></td>
                <td colspan="1"><?php echo '&pound;' . number_format($item['price'] *
                    $item['qty'], 2); ?></td>
            </tr>

        <?php } ?>

    <?php } ?>

<tr>
    <th>Sub-total:</th>
    <td colspan="4" class="ta_r">
        &pound;<?php echo number_format($order['subtotal'], 2); ?>
    </td>
</tr>

<tr>
    <th>VAT (<?php echo $order['vat_rate']; ?>%):</th>
    <td colspan="4" class="ta_r">
        &pound;<?php echo number_format($order['vat'], 2); ?>
    </td>
</tr>

<tr>
    <th>Total:</th>
    <td colspan="4" class="ta_r">
        <strong>&pound;<?php echo number_format($order['total'], 2); ?></strong>
    </td>
</tr>

```

```

<tr>
  <th>Client:</th>
  <td colspan="4">
    <?php
      echo Helper::encodeHtml($user['first_name'])." ".$user['last_name']).
      '<br />';
      echo Helper::encodeHtml($user['address_1']).'<br />';
      echo Helper::encodeHtml($user['address_2']).'<br />';
      echo Helper::encodeHtml($user['town']).'<br />';
      echo Helper::encodeHtml($user['county']).'<br />';
      echo Helper::encodeHtml($user['post_code']).'<br />';
      $country = $objCountry->getCountry($user['country']);
      echo Helper::encodeHtml($country['name']).'<br />';
      echo '<a href="mailto:';
      echo $user['email'];
      echo '>';
      echo $user['email'];
      echo '</a>';
    ?>
  </td>
</tr>

<tr>
  <th>PP status:</th>
  <td colspan="4">
    <?php
      echo !empty($order['payment_status']) ?
      Helper::encodeHtml($order['payment_status']) :
      "Pending";
    ?>
  </td>
</tr>

<tr>
  <th><label for="status">Order status:</label></th>
  <td colspan="4">
    <?php $objValid->validate('status'); ?>
    <?php if (!empty($status)) { ?>
      <select name="status" id="status" class="sel">
        <?php foreach($status as $stat) { ?>
          <option value="<?php echo $stat['id']; ?>"
            <?php echo $objForm->stickySelect('status', $stat['id'], $order[
              'status']); ?>><?php echo Helper::encodeHtml($stat['name']); ?>
          </option>
        <?php } ?>
      </select>
    <?php } ?>
  </td>
</tr>

<tr>
  <th><label for="notes">Notes:</label></th>
  <td colspan="4">
    <textarea name="notes" id="notes" cols="" rows=""
      class="tar"><?php echo $objForm->stickyText('notes', $order['notes']); ?>
    </textarea>
  </td>
</tr>

```

```
</tr>

<tr>
  <th>&nbsp;</th>
  <td colspan="4">

    <div class="sbm sbm_blue fl_r">
      <a href="<?php echo '/admin'.Url::getCurrentUrl(array('action')).
        '&action=invoice'; ?>" class="btn" target="_blank">Invoice</a>
    </div>

    <div class="sbm sbm_blue fl_l mr_r4">
      <a href="<?php echo '/admin'.Url::getCurrentUrl(array('action', 'id'
        )); ?>" class="btn">Go back</a>
    </div>

    <label for="btn_update" class="sbm sbm_blue fl_l">
      <input type="submit" id="btn_update" class="btn" value="Update" />
    </label>

  </td>
</tr>

</table>

</form>
```

```
<?php
    require_once('template/_footer.php');
  }
}>
```