

```
<?php
$side_titel = "Betingelser";

include ("includes/side_start.php");

// =====
?>
```

```
<?php
//=====0
include ("includes/handlinger.php");

//=====0
?>
```

```
<div id="content_left">
<?php
include ("includes/kurv_left.php");
?>
</div>
```

```
<div id="content_right">
```

```
<h1>Ordre</h1>
<p><br /><br /></p>
```

```
<?php

if (!isset($_SESSION['kurv']) || count($_SESSION['kurv']) == 0)
{
    echo "Din kurv er tom";
}
else
{

    $sum = 0;
    $staller = count($_SESSION['kurv']);

    echo "Du har " . $staller . " varer i ordren<br /><hr />";

    echo "<table>";
    echo "<tr><td>Vare nr</td><td>Betegnelse</td><td>Stk.<br /></td><td>pris</td><td>Antal</td><td>Pris</td><td></td><td></td></tr>";

    foreach ($_SESSION['kurv'] as $vare_id => $vare_antal)
    {
        $query_array = "SELECT * from varestam where vare_id = $vare_id ";
        $result_array = mysqli_query($db_link, $query_array);
        $antal_array = mysqli_num_rows ($result_array);
```

```

$row_array = mysqli_fetch_assoc ($result_array);
echo "<tr><td>";
    echo $row_array['vare_id'];
echo "</td><td>";
    echo $row_array['vare_navn'];
echo "</td><td>";
    echo $row_array['vare_pris'];
echo "</td><td>";
    echo $vare_antal;
echo "</td><td>";
    echo $pris = $row_array['vare_pris'] * $vare_antal;
echo "</td><td>";

    echo "<a href='ordre.php?handling=tilfoj&vare_id=" . $vare_id .
        "'><button class='knap' type='button'>&nbsp;+&nbsp;1&nbsp;</button></a>";
echo "</td><td>";
    echo "<a href='ordre.php?handling=fjern&vare_id=" . $vare_id .
        "'><button class='knap' type='button'>&nbsp;-&nbsp;1&nbsp;</button></a>"
        ;
    echo "</td></tr>";

    $sum = $sum+$pris;
} //foreach

echo "<tr><td colspan='5'><hr /><td colspan='2'></td></tr>";
echo "<tr><td></td><td></td><td></td><td>Samlet beløb:</td><td>" . $sum .
    "</td><td></td><td></td></tr>";
echo "</table>";

echo "<p><br /></p>";
echo "Du har ikke mulighed for at<br />";
echo "ændre ordren efter tryk på:";
// echo "<table><tr><td><a href='adresse.php'><button class='knap' type='button'>Gå til
adressedata</button></a></td></tr></table>";

echo "<form action='adresse.php' method='post'>";
echo "<input type='submit' value='gå til adressedata' />";
echo "</form>";

echo "<p><br /></p>";
// echo "<table><tr><td><a href='kurven.php?handling=tom'><button class='knap'
type='button'>Tøm</button></a></td><td>&nbsp;&nbsp;&nbsp;Tøm
indkøbskurven</td></tr></table>";

echo "<form action='kurven.php' method='get'>";
echo "<input type='hidden' name='handling' value='tom' />";
echo "<input type='submit' name='linkform' value='Tøm indkøbskurven' />";
echo "</form>";

```

```
} //SESSION
```

```
?>
```

```
<?php
```

```
// =====
```

```
include ("includes/side_slut.php");
```

```
?>
```